

that definitive designs can be made, according to the report. There are several promising approaches:

In the electron ring accelerator concept a ring is compressed, protons are trapped and then the ring can be accelerated. Experiments in the coming year will test ring stability and feasibility of magnetic expansion. Potentially the accelerator could produce high-energy protons in a structure of moderate length.

A superconducting alternating gradient synchrotron could have a stronger magnetic field with less power consumption and ring size than conventional machines. So far superconducting magnets with time-varying fields have shown excessive power losses; but recent work with highly stranded, twisted conductors suggests this problem may be solved soon.

Because the resistance of some very pure metals drops by several factors of ten at low temperatures, one could make high-field pulsed magnets for accelerators out of aluminum, say. Cryogenic refrigeration costs might be lower than that required for superconducting magnets.

Superconducting electron linear accelerators could provide higher energy per length than conventional linacs and offer a nearly continuous beam rather than the short duty cycle required by the high dissipation of power in conventional linac walls.

Several varieties of accelerators with superconducting dc magnetic fields have been proposed.

These new techniques are applicable not only to accelerators but also to detection equipment and beam transport. The report urges both intellectual and financial support for such research and development.

The panel believes that results from Serpukhov and Batavia will show many interesting phenomena between 30 and 200 GeV; it anticipates the need for revitalizing existing laboratories by increasing the energy of proton and electron accelerators into this range. As possibilities the report suggests that the SLAC accelerating structure could be replaced with superconducting microwave cavities and the Brookhaven AGS could have its energy boosted by using superconducting or cryogenic magnets.

Proton-proton storage rings should be added to the Batavia accelerator after some experimental experience

with the CERN 25-GeV storage rings, according to the report. At present 100-GeV intersecting rings appear feasible for NAL, the panel notes.

The Physics Dropout: What Turns Him Off?

Why do physics students drop out and where do they go? This question stimulated a special attrition study by Susanne D. Ellis, supervisor of manpower studies at the American Institute of Physics (reported in *Physics Manpower* 1969, AIP publication No. R-220, August 1969). The study was supported by NSF.

Between 1960 and 1966 the number of college juniors who elected a physics major declined steadily, and of that decreasing group of junior-year physics majors more than one quarter dropped out of physics before completing the bachelor's degree. Furthermore, a sizable fraction of the physics students did not complete the graduate degree for which they enrolled.

A 70% response was received to questionnaires sent to former physics students and to those remaining in physics, who acted as a control group. The "dropouts" were subdivided into four categories: those dropping physics as an undergraduate major, physics bachelors who hold nonphysics jobs, physics bachelors pursuing nonphysics graduate study, and physics graduate "dropouts."

A qualitative analysis shows that there was no dominant reason why students abandoned physics at any one point. Also, the "dropout" does not differ on the following indices from his counterpart who remains in physics: sex, marital status and father's occupation. Most of the physics students are male; approximately one third are married; and the greatest percentage of their fathers are professionals, very few of them being physicists.

Students who remain in physics are more likely to come from doctorate-granting institutions.

Those who went on to graduate study had higher undergraduate grade averages than those who accepted immediate postbaccalaureate employment. But there was no significant difference in the undergraduate performances of students who do graduate work in physics and those who leave their graduate work altogether or study another discipline.

The control group offered the following recommendations for attracting and retaining physics students: more opportunities for individual research in college, more stimulating classroom presentation, and an improvement in student-faculty interactions.

Tax Reform Bill May Limit Scientific Society Activities

The tax reform bill passed by the House of Representatives in August severely limits activities of private foundations, which are defined as any organizations that are tax exempt under Section 501 (c) (3) of the Internal Revenue code. Four types of organizations are excluded, but none of these appear to be clearly scientific and engineering societies and federations of such societies. Private foundations would be limited in making their views known to Congress, and their advertising income from publications would be taxed, whether or not the publications are related to the exempt purpose of the organization.

The Senate Finance Committee was scheduled to hold hearings on the bill beginning in September or October. Several technical societies, including the A.I.P., are offering to present their views during the hearings.

NSF Announces Plans for 1970 Expenditure Limits

The National Science Foundation is imposing institutional expenditure limitations for fiscal year 1970; it is assuming that its own expenditure limitation will be about \$495 million. Institutions (136 of them) whose expenditures for FY 1970 are estimated to be greater than \$500 000 would be subjected to the limitation.

NSF will not impose limitations on major construction projects; reductions in these activities were accomplished by limiting amounts and numbers of new awards. Also exempt from expenditure limitations are fellowships, traineeships, travel awards and summer education programs.

Crystallographers Elect Guinier as New President

The new International Union of Crystallographers president is André Guinier, professor of solid-state physics at the faculty of science of Paris (Orsay), France. He succeeds N. V. Belov of the Soviet Union and will

WE BET A PILE ON OUR NEW MODERN PHYSICS LABORATORY MANUAL . . .



AND LOST!

Why? Because we are going to give it away with 800 Series equipment purchases, even though the manual will sell for \$10.00 a copy. As a normal textbook and laboratory manual, it would cost more than \$25.00.

But why all the fuss over a laboratory manual? For one thing, this manual is for the physics teacher and his students. It's not a fancy marketing brochure as other so called "Manuals" have been!

It's a complete laboratory text book containing 17 commonly studied nuclear experiments. Each experiment write up describes the required instruments, sources and accessories, how to connect the instruments, the phenome-

non to be demonstrated, typical data and the method of analysis.

Write Canberra for a 25 page sampler, taken from the actual manual. Want the whole manual? \$10.00 as noted. Or, obtain your copy by ordering your laboratory requirements from Canberra . . . originator of the EDUCATOR Series.

CANBERRA INDUSTRIES

50 SILVER ST., MIDDLETOWN, CONN. 06457

CANBERRA

reside until 1972. Guinier's election was announced at the Eighth International Congress of Crystallography, which was held in August at the State University of New York at Stony Brook (PHYSICS TODAY, August, page 23). Fritz Laves of the Zurich School of Technology was elected second vice-president, and Bertram E. Warren, professor emeritus of physics at the Massachusetts Institute of Technology, will continue as first vice-president.

Report Suggests Regional Problem-Solving Centers

A new kind of institution that would apply science and technology to regional problems has been suggested by a joint National Academy of Sciences-National Academy of Engineering committee in a report, *The Impact of Science and Technology on Regional Economic Development*. These Exploratory Centers for Regional Development, to be established where known problems exist, would have as a main function the identification of public and private "client-sponsors" who could implement new regional-development programs. Some of these centers would be new; others would use existing institutions, such as universities or Atomic Energy Commission laboratories.

48-University Consortium to Coordinate Space Research

A national consortium of 48 universities, Universities Space Research Association (USRA) has been formed as the space-research analog to Universities Research Associates in high-energy physics. The new group, which will foster cooperation among universities, other research groups and the US government, expects to develop and operate facilities (such as laboratories) for space-science research and education.

The National Academy of Sciences organized the consortium so that unique operations, such as the Lunar Receiving Laboratory, would be under national rather than university or regional control. USRA recently submitted to the National Aeronautics and Space Administration their proposal for management of the Houston Lunar Science Institute. The National Academy of Sciences has been directing the institute.

Donald A. MacRae is chairman of

the Council of Institutions that directs USRA, and Frederick Seitz is vice-chairman.

British Physicists Elect New Officers to Council

In elections held by The Institute of Physics and the Physical Society, new Council members as of 1 Oct. are: Cyril A. Hogarth, Brunel College, London (Vice-president); Alfred G. Gaydon, London, (Ordinary Member); and Nicholas Kurti, Brasenose College, Oxford (Ordinary Member). P. T. Menzies (Honorary Treasurer) and Robert Press (Honorary Secretary) were reelected.

IN BRIEF

Young physicists who wish to study in Latin America or the Caribbean are invited to apply for PhD and postdoctoral fellowships. Applications can be in any area of physics, and are due 1 Nov. For details write to Foreign Area Fellowship Program, 110 East 59 Street, New York, N. Y. 10022.


Six-month fellowships at the International Centre for Theoretical Physics in Trieste (beginning 1 April) are available in elementary-particle physics. Deadline for applications is 31 Oct.

The state of New Jersey is offering positions in its expanding college system for retired or about-to-be-retired scientists and engineers. They can lecture, supervise laboratory and quiz sections, assist in clerical work and perhaps have the chance to guide senior research projects. Those interested should contact Wesley Minnis, Dept. of Higher Education, Box 1293, Trenton, N. J. 08625.

A new communications package for technical managers has been designed by two former executives at *International Science and Technology*. In addition to a monthly magazine, *Innovation*, the service includes conference telephone calls, audio and video tapes, special reports and group tours. Information can be obtained from Technology Communication, Inc., 265 Madison Ave, New York, N.Y. 10016.

The latest *Index to the Literature of Magnetism* has been published by Bell Telephone Laboratories and reprinted by the American Institute

EPR



Overall length
11-25 inches

Cool only the sample
(not the cavity)
in ESR/EPR studies
down to 4°K

**New CRYO-TIP® sample cavities
cut cooldown time to 30 minutes**

Air Products now has a full line of cylindrical TE₀₁₁ cryogenic sample cavities designed by Magnion Division of Ventron Instruments Corporation which can be used with any standard-model, variable-temperature CRYO-TIPO® Refrigerator in low temperature (4° to 300° K) ESR and EPR studies. Since only the sample is cooled, the microwave cavity remains at room temperature. It does not undergo the impedance change or mechanical strain associated with conventional methods of cooling the whole cavity.

These cavities, adapted for use with the CRYO-TIP Refrigerator, are available for 9.5, 24, 35, and 70 GHz microwave studies. Provisions can be made for matrix isolation and UV, optical, X-ray, or electron beam irradiation along the axis of the sample cavity. Cryogenic adaptors are also available for other types of cavities. Write for full details on Air Products' complete line of CRYO-TIP Refrigerators and accessories.



Air Products and Chemicals
INC.

ADVANCED PRODUCTS DEPARTMENT
Allentown, Pennsylvania 18105