

letters

much monitoring was done after bomb tests for the alpha emitters that produce no measurable radiation to gamma detectors—such as unfissioned plutonium from the tests? I do not recall seeing any evaluation of unfissioned plutonium in various assessments of fallout from tests. Were, or are, the hazards from the nuclides, which may be ingested, as important as the hazards from gamma emitters outside the body? If so, despite the difficulty of measurement, should not discussion be directed to these rather than gammas?


WILLIAM A. KEMPER
US Naval Weapons Lab.
Dahlgren, Va.

Chinese universes

From the unreasonable assumption that change is impossible, Parmenides¹ inferred about 500 BC that the universe had no beginning, in itself a reasonable belief. In fact the notion that the universe came into existence either with a big bang or with a whimper might one day seem as absurd as that the earth rests on an elephant that stands on a tortoise. Any evidence that the universe had a beginning can be more reasonably interpreted by saying that some cataclysmic event occurred, perhaps some ten billion years ago, which completely transformed the observable universe. The speculative theory that I shall put forward is of this form.

According to General Relativity, a heavy enough body of given size cannot be communicated with from outside and becomes a "black hole" or "Schwarzschild singularity." I shall argue here that the whole of our observable universe is probably a black hole. For, on the assumption of continual creation, a galaxy eventually becomes so heavy that it collapses into a black hole, so, in infinite time, we are certain to be in a hole (with physical probability one). Therein the density of matter should be almost infinite, and this provides a feasible explanation for Dirac's concept of an ether of infinite negative density in which ordinary elementary particles are very small holes.² These small holes might be formed by a process of continual destruction, which can also be regarded as a process of continual creation of negative matter (not antimatter). The notion that there is continual destruction as well as continual creation is a familiar one especially emphasized by Reginald Kapp.³ The expansion of the observable universe can be ascribed to the creation of more of the "ether" in Dirac's sense. Since, in this theory, the ether consists of tightly packed particles, the creation of new particles forces the expansion of

the black hole. This black hole is embedded in a universe in which the ether again consists of tightly packed particles, but of the opposite sign, and this larger universe can be regarded as a "white hole" in a yet larger universe. The "big-bang" origin of the "universe" is here interpreted as the transition of a heavy galaxy into a black (or white) hole within a larger universe. It even follows by this argument, with physical probability one, that we are inside an infinite sequence of holes, one within the other, like carved Chinese spheres, consisting alternately of ivory and ebony as depicted in the diagram. The notion



that an elementary particle might be a universe, combined with the notion of infinitely nested universes, is an old science-fiction idea. But the present theory interprets collapsed galaxies, not elementary particles, as subuniverses, and it is intended to resolve the conflict between the big-bang and steady-state theories of the origin of the universe. Although the theory seems grandiose, as far as I can see it is the only possible consistent interpretation of the steady-state concept, and it is not purely speculative since it gives a reasonable explanation for Dirac's "ether."

References

1. F. N. Magill (editor), *Masterpieces of World Philosophy*, George Allen and Unwin, London, (1963) pages 16-22.
2. P. A. M. Dirac, *The Principles of Quantum Mechanics* (3rd ed.), Oxford, U. P., Oxford (1947), page 273.
3. Reginald O. Kapp, *Towards a Unified Cosmology*, Humanities Press, New York, (1960).

I. J. Good
Virginia Polytechnic Inst. and State Univ.
Blacksburg, Virginia

Correction

May, page 75, column 2—Mildred S. Dresselhaus was not appointed head, but rather associate head of the department of electrical engineering at Massachusetts Institute of Technology for electrical science and engineering. □

Spectroscopy Molecular Beams AC Polarography Semi- Conductors

Q. What do they have in common?

A. The Ithaco 353 lock-in amplifier.

ONLY THE 353 PROVIDES:

- Automatic phasing. Measure signals with changing phase, without touching the phase controls. Vector amplitude and phase outputs.
- Log, ratio or log-ratio. Make absorbance and dual beam ratio measurements simply and economically.
- In-phase and quadrature. Simultaneously measure two quadrature signals—or their ratio.
- Signal and derivative. Is the 2nd harmonic of your output signal a derivative? The 353 measures both simultaneously—or their ratio.
- Modulated carrier signals. Measure carrier amplitude with linear or log response—and simultaneously measure the modulation signal or depth of modulation.

Arrange for a demonstration of Ithaco's versatile 353 lock-in.

Write or call
Don Munroe, Ithaco, Inc.,
735 W. Clinton Street, Ithaca,
New York 14850. 607-272-7640

ITHACO

Circle No. 13 on Reader Service Card