Helmholtz free energy. Perhaps more serious, some recent advances in liquid theory are omitted or only mentioned very briefly in passing. In the chapter on mixtures, considerable space is devoted to the original form of conformal solution theory as proposed by Hugh C. Longuet-Higgins. The more successful van der Waals 1 theory, developed by Frances E. Leland and his colleagues in the 1960's, is not mentioned. It is perhaps understandable that the authors, in the interest of keeping the size of the book within reasonable bounds, would not want to give a detailed account of the theories for molecular fluids. However, some discussion of this subject would have been very useful in view of the large number of theorists and experimentalists working on such liquids.

KEITH E. GUBBINS School of Chemical Engineering Cornell University Ithaca, N.Y.

## **Physics in Industry**

E. O'Mongain, C. P. O'Toole, eds. 595 pp. Pergamon, Elmsford, N.Y., 1976. \$30.00.

This book is the proceedings of "Physics in Industry," a "first of its kind" conference. The conference was convened by the International Union of Pure and Applied Physics in Dublin, Ireland, in March 1976 to establish IUPAP's role in industrial physics research.

In the plenary session, Lewis Branscomb (US) urged full participation by industrial physicists in IUPAP; H. B. G. Casimir (The Netherlands) urged that universities maintain their independence of industry, and P. Aigrain (France) related the impact of science on product developments. In the closing discussion, C. C. Butler (UK), IUPAP president, concluded that industrial physics and physicists will receive greater attention in future meetings and commissions than they did in the past.

Eighty-five papers representing 22 countries were presented in sessions on "New Technologies," "Social Aspects," "Energy," "Communications and Data Processing," "Acoustics," and "Biological Applications." Universities contributed 60% of the papers; industry and government each contributed 20%. This suggests that there are limited opportunities for physicists in European industry. By contrast, 50% of the US papers presented came from industry.

Papers included recent developments in industry, such as magnetic-bubble memory devices, by H. P. J. Wijn (The Netherlands); thermodynamic modeling of metallurgical processes, by B. Brudar (Yugoslavia), and advances in computer technology. R. W. Hamming (US) discussed hardware and software limitations of computers; A. V. Ferris-Prabhu (US) reviewed a model for the reliability of large data-processing systems, and I. W. Pence (US) described BEAMOS, a new memory technology with improved performance compared to rotating magnet memory.

Contributions from university speakers included M. Schlesinger (Canada) on a new photoimaging process, G. Sorensen (Denmark) on plating with ion accelerators and J. T. McMullan (Ireland) on energy research in a northern maritime cli-

mate. Physics applied to agricultural research, by J. Schenk (The Netherlands), and isotope studies of flow processes, by A. J. Niemi (Finland), are positive examples where physics can play a unique role in nations searching for abundance from technological developments.

Sessions on "Social Aspects" dealt with the declining university enrollment, stabilized academic demand and unknown industrial demand for physicists. General trends in this area are similar from one country to the next. R. Fieschi (Italy) discussed the impact of politics on physics research, and J. E. Ripper (Brazil)



South Natick, Mass. 01760, Tel: (617) 655-7000

9649 Côte de Liesse: Dorval H9P 1A3, Québec Unit No. 5, Cartingview Drive, Resdale M9W SE7, Ontario Greycaine Road, Watford, WD2 4PW, England Bahnhofstr. 8, Postfach. 1226, 6128 Hochst, Germany. 1031. Boulevard Jeanne d'Arc, 59500 DOUAI, France.



Ealing's new 'Scientifica' range of lasers are the best Helium Neon laboratory lasers you can buy.

While other laser manufacturers have been simplifying their products Ealing has continued its tradition of offering the very best in research quality at affordable prices.

Nothing, from the plasma to the keyswitch, has been overlooked in designing the finest range of lasers available.

The Plasma is generated from a special HYPERGAS mixture of isotopes selected to have a lower operating temperature, increased tube life and long term power output stability. This gas enables the lasers to be tuned for Infrared operation.

The Tube is totally constructed of fused silica, having optically flat Brewster Windows and a tightly toleranced, tapered bore. The tapered plasma tube (International Patents Applied For) has high intensity, high integrated power, low diffraction noise, improved spatial stabilization and mode locking and increased efficiency of operation.

The Case contains a stabilized tube mount and is ruggedly built as is the Power Supply.

Safety Features include a keyswitch, output shutter, remote interlock and BRH warning logo.

Contact your nearest Ealing office listed above for full details of these lasers.

Ealing - the world's leading supplier of quality optics

Circle No. 38 on Reader Service Card

reviewed applied physics in a developing

This conference must be the forerunner of greater interaction between physicists from industry, universities and governments to stimulate industrial innovation and the technological growth of nations. This book will give the reader some ideas on the present institutional challenges and the opportunities ahead.

FRANK E. JAMERSON
Physics Department
General Motors Research Laboratories
Warren, Mich.

#### Solar Flares

Z. Švestka 399 pp. D. Reidel, Boston, 1976. \$39.50 clothbound, \$23.00 paperbound

The mystery of the solar flare, its origin and its incredible output of fast particles and hard radiation is attracting increasing attention in the physics community. The flare has been and continues to be one of the focal points of space missions. Flares range from tiny pinpoints that wink on and off for a few minutes to colossal explosions of 1025 joules in energy, while others fizzle on for hours or days with little or no explosive phase. Flare-like effects are seen in other stars, and the galactic x-ray sources have many of the behavioral traits of the solar flare. Indeed, the active galaxies, the double radio sources and quasars have flare-like features, though they are vastly different in scale and too distant to study in detail. Much of the theoretical modelling of active galaxies is based on ideas developed originally to explain the solar flare. But for all the fascination of active galaxies and quasars, the solar flare stands at the center of the stage, because it is the only example subject to direct observation with high resolution. The flare is visible at all wavelengths, from 3-meter radio waves to gamma rays, and it emits all nuclei, from neutrons and protons to iron—with an occasional extraordinary preference for He<sup>3</sup> and aversion to H<sup>2</sup>.

Except for the homologous flares, which repeat the same pattern in space and time at intervals of one or two days, the individual flares on the Sun are as varied as the personalities of the individual members of the human race. Consequently, the development of a book on the morphology of solar flares is not unlike the task that confronted Gibbon in developing his work on the decline and fall of the Roman Empire.

Svestka's long experience with the observations of solar flares in both soft and hard radiation has served as an ideal starting point for his construction of this book. In spite of the diverse and uncoordinated aspect of many of the observational facts, Švestka's tight organization of observations, their interpretations and their current explanations never falters as the reader progresses through the 350 pages of text and accompanying tables and figures. The many "close-up" photographs of flare activity are reproduced well enough to convey their varied points to the reader, and the numerous graphs and plots of intensities, spectra and so forth are well composed and clearly described.

Concluding the observational analysis of the flare phenomenon on page 299, Švestka provides a seven-page outline of 37 outstanding features of flares; he then goes on to provide a 42-page review of the theoretical ideas that have been developed to make these features plausible.

One of the most valuable aspects of the book is the continual, critical evaluation of both the interpretation of the observations and the theoretical ideas that try to explain those interpretations. At no point is the reader without clear guidance from the author.

The book is deliberately aimed at the phenomenology of the solar flare. Except for some questions in radiative transfer. there is no attempt to delve into the purely theoretical problems posed by the many effects displayed in the context of flares. The theoretical work was to have been treated in a second volume, authored by L. D. deFeiter, whose untimely death left that work unfinished. The loss of the projected volume is a pity, but it detracts in no way from the book in hand. The physicist or astronomer who wishes to acquaint himself or herself with one of the most remarkable phenomena in Nature will find the book enjoyable and instructive for an hour, a week or a year of study.

> EUGENE N. PARKER Laboratory for Astrophysics and Space Research The University of Chicago Chicago, Ill,

# new books

## Particles, Nuclei and High-Energy Physics

A Shell Model Description of Light Nuclei. I. S. Towner. 383 pp. Clarendon (Oxford U.P.), New York, 1977. \$24.50

### Atomic, Molecular and Chemical Physics

Potential Scattering in Atomic Physics. P. G. Burke. 138 pp. Plenum, New York, 1977. \$22.50

Stochastic Processes in Chemical Physics: The Master Equation. Edited, and with introductions by, I. Oppenheim, K. E. Shuler, G. H. Weiss. 561 pp. MIT, Cambridge, Mass., 1977. \$19.95.

#### **Optics and Acoustics**

Inhomogeneous Optical Waveguides. M. S. Sodha, A. K. Ghatak. 269 pp. Plenum, New York, 1977. \$29.50

### **Electricity, Magnetism and Fields**

Relativitätstheorie. C. Møller. 316 pp. Bibliographisches Institut, Mannheim, German Federal Republic, 1976. (Price not stated)

#### **Quantum Electronics and Lasers**

An Introduction to Lasers and their Applications. D. C. O'Shea, W. R. Callen, W. T. Rhodes. 276 pp. Addison-Wesley, Reading, Mass., 1977. \$14.95



Time development of a solar spray on the Sun's limb, as photographed at the High Altitude Observatory, Boulder, Colorado on 28 October 1972. These eight stages in the spray's development (left to right top, then bottom), cover a 41-minute interval. (Photograph: Richard T. Hansen.)