

DO YOU NEED:

- -a life time
- —a cross section
- -a reaction rate
- —a transport coefficient

GAPHYOR

GAs PHYsique ORsay

GAPHYOR is a retrieval system for:

- Atomic and molecular properties
- -Photon collisions
- Electron collisions with atoms and molecules
- Atomic and molecular collisions
- Macroscopic properties of gases

SPECIALISED INTERROGATION WRITE TO:

GAPHYOR

UNIVERSITE DE PARIS SUD

Batiment 212 91405 ORSAY Cedex FRANCE

BULLETIN SIGNALETIQUE GAPHYOR

Starting January 1979 we also publish a quarterly bilinguial (french-english) Bulletin including the new entries to our file. Order this Bulletin.

Centre de Documentation Scientifique et technique 26 rue Boyer 75971 PARIS Cedex 20 FRANCE Subscription price for 1 year 400 FF

Circle No. 31 on Reader Service Card

specifically in the study of phenomena related to turbulence.

Mandlebrot, not ignoring the aesthetic pleasure, wrote Fractals: Form, Chance, and Dimension to stimulate interest and open new avenues of thought, rather than to provide a solid and complete grasp of the subject or teach hard analytical tools. The explanations that he seeks at this point are structural rather than dynamical.

As is often the case with consciousness raisers, the book is somewhat overwritten and suffers from a degree of repetitiveness, especially in its second chapter. However, as a remedy, which is also one of the causes of the problem, Mandelbrot organized the material in a way that facilitates skipping. I urge the reader who loses interest to follow Mandelbrot's advice and to proceed to the next or another section. It is hard to repress the thought that Mandelbrot, following his developed perception, has replaced the line by a fractal in the design of his book.

The unique commitment of Mandelbrot to the subject, or rather to its discipline, is reflected throughout the book and in particular in the very personal chapter devoted to biographical and historical sketches. This chapter is fascinating by itself. Writing about his masters, he gives us his perspective on science and on the scientist's life and toil.

In summary, this work aims effectively at enriching our collection of the most basic tools of analysis; thus exposure to this book may produce unforseeable consequences. It is highly recommended to every natural scientist.

Michael Aizenman is an assistant professor of physics at Princeton University. His research interest is in mathematical physics with a focus on statistical mechanics and dynamical systems.

Metal-Semiconductor Contacts

E. H. Rhoderick 201 pp. Clarendon (Oxford U.P.), New York, 1978. \$18.50

The field of metal-semiconductor contacts (called Schottky barriers or Schottky diodes) is of importance in applications to practical devices as well as a test of our fundamental understanding of semiconductor physics. Device work related to metal-semiconductor contacts include metal-oxide-semiconductor diodes, metal-insulator-semiconductor diodes, switches, transistors and solar cells. Fundamental studies have treated the role of interface states and attempted to replace the traditional descriptions involving work function and electron affinity with a more basic approach in terms



Microwave field-effect transistor developed in 1968 by the IBM Research Laboratory, Zurich and now widely used. The theory behind such applications of metal-semiconductor contacts are described in E. H. Rhoderick's book.

of electronegativity, pseudopotentials and the band structure of the composite system.

Emlyn Huw Rhoderick, as professor of solid-state electronics at the University of Manchester Institute of Science and Technology, has made significant contributions to the metal-semiconductor field through his experimental work. His Metal-Semiconductor Contacts, which he frankly states in the preface is meant to update H. K. Henisch's Rectifying Semiconductor Contacts (Oxford U.P., 1957), contains many important experimental details not readily available elsewhere. It does not contain any significant accounts of practical devices nor recent theoretical work of a basic nature. Treatment of such work can be found in such texts as S. M. Sze, Physics of Semiconductor Devices (Wiley, New York, 1969) and A. L. Milnes and D. L. Feucht, Heterojunctions and Metal-Semiconductor Junctions (Academic Press, 1972). Both of these contain more comprehensive treatments and more extensive bibliographies than Rhoderick's book.


Rhoderick's treatment is a very readable account of the standard theory of metal-semiconductor contacts. He has treated the various cases in detail, separating out those features that control barrier height, such as surface state, image forces, oxide layers and tunnelling mechanisms, from the basic current-limiting mechanisms of diffusion and thermionic-emission. At each stage of the presentation he uses experimental results and details of the sample preparation to support the theory or reveal its shortcomings.

High power is important. But in your it, and keeps it there, hour after hour. laboratory useable precision is what This unprecedented combination of power and precision expands your really counts in single frequency dye frontiers of dye laser research. You lasers That's why Coherent combined can observe effects never seen before active stabilization with a ring laser in two-photon spectroscopy and high design in the new CR-699-21. resolution CARS, or dramatically in-Of course, the CR-699-21 procrease yields in isotope separaduces high single frequency output tion and photo-(more than 3.0 watts has been obchemistry. tained at the peak of Rhodamine 6G). By using the easily accessible But more important, Coherent's active stabilization and exclusive Autobeam waist lock™ circuits mean twenty times for second harhigher resolution than other ring monic generalaser systems, and an end to mode tion, tunable hopping-even when scanning 30 GHz. UV output can So you no longer have to tiptoe be obtained. around your lab table to obtain use-(30 mW has been able results. The CR-699-21 puts your observed at laser output precisely where you want Coherent.) "This ring dye laser combines high power with active stabilization for useable precision."

Circle No. 32 on Reader Service Card

For high power ring dye technology in a passively stabilized laser, choose the CR-699-03. An etalon servo unit minimizes mode-hopping, and you can add the precision of active stabilization later when your research requires it. When it's time to push back your research frontiers, talk to Coherent. An on-call application engineer/physicist is available to help you. Circle the reader service number below, ask for Scientific Applications at 415/493-2111, or write Coherent, 3210 Porter Drive, Palo Alto, Cali-Palo Alto, California 94304 (415) 493-2111 fornia 94304. @Coherent 1979

A Good Plan



The Plan

DataPlan Six offers the scientific community a new concept in laboratory computer systems that enhances the acquisition, analysis and processing of data. DataPlan Six addresses the wide variety of needs and problems encountered in on-line accumulation and spontaneous interpretation and display of information generated by laboratory, environmental, educational and industrial experimentation.

The Family

The family of DataPlan Six Systems combine microcomputer technology with on-line data acquisition capabilities and complex experimental parameter and display functions. They are modern solutions to laboratory data generation, display, and handling requirements that also serve the needs of the future.

DataPlan Six spans and closely matches system performance and cost with defined needs of the scientific community.


6660

New generation, multi-parameter computer system for on-line acquisition, display, sorting and analysis of multiple coincident events in real time. ND6660 and all ND6600 Systems offer the powerful data thruput capabilities of distributed processing combined with the exclusive synchronous COMBUS. LSI-11 microcomputers and intelligent microprocessors simultaneously perform system functions.

6620

Multi-user, multi-task data acquisition and processing system with hard surface cartridge disk, powerful MIDAS disk operating software, comprehensive gamma and x-ray analysis software, FORTRAN IV compiler and BASIC interpreter.

A Great Family



6610

Convenience and economy of dual floppy disks coupled with MIDAS disk operating software for complete data acquisition, display and peak processing.

6603

Firmware operated, turnkey system featuring data display and acquisition from multiple independent ADC's while simultaneously performing data analysis.

660

Fully programmable, dual floppy diskbased, foreground/background MCA system. DEC RT-11 F/B DOS software runs powerful ND600 analyzer functions in foreground and sophisiticated ND6600 FORTRAN application programs, standard DEC FORTRAN or BASIC in background.

600

Firmware-controlled, microcomputerbased MCA system combining the computational power of an LSI-11 with the convenience of terminal operation.

60

Microprocessor-based MCA offering more data acquisition, display, manipulation and input/output capability and flexibility than any other MCA in its price range.

DataPlan Six Systems extend the scientist's ability to apply computer analysis, display and processing functions to the expanding needs of modern research programs.


Write or call for more information on the DataPlan Six Family of Great Laboratory Computer Systems.

Nuclear Data Inc

Golf and Meacham Roads Schaumburg, Illinois 60196 Tel: 312 884-3621

Bonameser Strasse 44 6000 Frankfurt/Main 50 Federal Republic of Germany Tel: 529952

Now! The best of both worlds! Streak Camera and Optical Multichannel Analysis combined...







EG&G PRINCETON APPLIED RESEARCH is pleased to announce that it is now offering an extraordinary combination system—the GEAR Streak Camera and the EG&G PARC Optical Multichannel Analyzer. The price for the system is less than the cost of many streak cameras ALONE.

Check out these features:

- Proven "planar" streak tube for high resolution and statistical quality.
- Fiber-optical coupling throughout: all the way to the final image tube.
- Time resolution to picoseconds.
- Two-dimensional data storage and curve manipulations with the OMA®2.

This package is the ultimate system for very fast time resolved measurements of multichannel signals.

| | Ultra-Fast Optical Triggered Module | Avalanche-Krytron Fast Sweep Module | Avalanche Module | Variable Sweep Triode Module |
|---------------------------|--|--|--------------------------|---|
| Temporal Resolution | < 1.5 ps | 5 ps | 8 ps | Variable to Max < 30 ps |
| Inverse Sweep Velocity | 10.5 ps/mm | 33 ps/mm | 55 psimm | 10 ns/mm to 200 ps/mm in calibrated steps |
| Non Linearity | < 10% | < 10% | <10% | < 10% |
| Jitter | ± 30 ps total | ± 500 ps | ± 100 ps | ± 100 ps |
| Delay | 1 ns | 40 ns | Lonin | < 15 ns (in fastest mode) |
| Trigger Source | 2-15 mJ Laser Light (depends on width) | 10 volts into 50 ohms | 10 volts into 50 ohms | 10 volts into 40 ohms |

Call today for details or write for specifications.



P. O. BOX 2565 • PRINCETON, NJ 08540 • 609/452-2111 • TELEX: 843409

507

Rhoderick clearly points out that the experimental situation is beset by problems associated with the metallurgical nature of the interface, the existence of chemical contamination, the presence of interface states, and oxide layers that may be present between the metal and semiconductor. The theoretical situation is also far from adequate because most efforts are directed at explaining ideal Schottky diodes, and even here the analytic problems are formidable. Treatments of real contacts seem to be far off. Despite this state of affairs, Rhoderick's assessment, with which I concur, is that "... we have a reasonably good working picture of metal-semiconductor contacts that serves as a basis for interpreting experimental results and also enables us to 'design' contacts to a limited extent to obtain particular electrical characteristics.'

The text contains an account of the theory of Schottky-barrier capacitance, including the effects of deep levels in the semiconductor and nonuniform doping profiles. A discussion of how to form "practical" contacts, and an excellent appendix comparing Schottky diodes and p-n junctions, round out the text.

The book is excellent as an in-depth introduction to the field from both the theoretical and experimental points of view. Graduate students, undergraduates and researchers will find the book quite valuable.

ALLEN ROTHWARF Institute of Energy Conversion University of Delaware Wilmington

General Relativity from A to B

R. Geroch

225 pp. Univ. of Chicago, Chicago, 1978. \$11.95

Many books for non-specialists treat a subject from "A to Z" and try to give answers to all the questions one either has been "afraid to ask" or has not thought to ask. Frequently one ends up with a collection of facts, but with little understanding. By the title of his book, General Relativity from A to B, Robert Geroch, a professor of physics and mathematics at the University of Chicago, signals that he does not intend to be all inclusive. Rather, he set himself the modest task of having his readers understand the revolution in thinking that was required by Albert Einstein's theory.

The whole discussion focusses on what is meant by a "space-time," a subject to which Geroch himself has contributed. He moves quickly from an absolute space and an absolute time to the Galilean view, where only time remains absolute. From the observation that the orbits of double stars are elliptical, one concludes that the

velocity of light is independent of the speed of its source. From measurements, one finds that it is also independent of the speed of the observer. From the observation that muons produced in the upper atmosphere reach the Earth, one deduces that elapsed time may depend on the speed of the clock. These deductions are incompatible with the Galilean view.

In what is the most difficult step in the book, Geroch defines the *interval* between nearby events and assumes it to be an invariant for all observers. Armed with this definition, he uses example after example to develop the modern notions of a relativistic space—time in which neither space nor time is absolute. The culmination is a beautiful chapter in which Geroch describes the essential features of a black hole. He draws on astrophysical evidence to support the existence of black holes, but properly cautions that the identifications are tentative.

All of this is done with a minimum of mathematics, although some knowledge of analytical geometry is helpful. Simple examples are used: observers moving in space-time and signals being exchanged between them. Geroch makes the basic arguments and explanations in terms of space-time diagrams. Over 100 such elementary line drawings appear in this book of 225 pages. The language is simple; the structure, direct. Throughout, the discussion is punctuated with comments that illuminate the nature of physics: What is real? What is true? What is an explanation? Where does observation enter? Why is prediction important?

This beautiful little book is certainly suitable for anyone who has had an introductory course in physics and even for some who have not. Moreover, it contains enough substance so that a modern physicist may find that he can learn something—perhaps only that a difficult topic can be presented to a general audience. The whole succeeds so well because Geroch believes that "physics is a human activity..." and wants to share some of its joys with others.

The layout of the book is good and the publisher has clearly reproduced the diagrams. With a little more care by the editor, however, about a half-dozen split infinitives could easily have been eliminated.


JOSHUA N. GOLDBERG Department of Physics Syracuse University Syracuse, New York

Physics of Thin Films

L. Eckertova

254 pp. Plenum, New York, 1977. \$27.50

Thin film is at present a field experiencing a fast progress in basic understanding as



Alpha excited X-Ray sources 0.1–5 Kev available calibrated in terms of photons/second/steradian.

0 0 0 0 0 0 0 0 0 0

Calibrated alpha standards also available including G_d -148, A_m -241, C_m -244 and T_h -230.

Write for your catalog or call collect— 213-843-7000



ISOTOPE PRODUCTS LABORATORIES

213-843-7000 1800 N. Keystone St., Burbank, Ca. 91502 Circle No. 36 on Reader Service Card