QUADRUPOLE GAS ANALYZER



STANDARD FEATURES

- 1-100 AMU Faraday Cup Detector Dual Filaments 100% Front Panel Control
- 12" High Resolution Display Graph or Tabular Data Display RS232 Computer Interface
 - 10-4 to 5 × 10-12 Torr Pressure Range
 Background Subtraction

OPTIONAL FEATURES

Pressure vs. Time Display
 1-200 AMU
 Graphics Printer For Hard Copy
 Sample System For Higher Pressures

With Dycor's Quadrupole Gas Analyzer you will no longer have to guess about what's in your Vacuum System. A glance at the screen will tell you exactly what is there. Our engineers would be happy to discuss your application.

Dycor Inc.

1023 Wm. Flynn Hwy ● Glenshaw, PA 15116 ● (412) 486-4700 AVS SHOW-BOOTH #612 Circle number 92 on Reader Service Card

INVITATION TO A SYMPOSIUM IN HONOR OF

CLARENCE ZENER

On the occasion of his 80th birthday, for his landmark contributions to science and engineering. Papers on the impact of his work will be presented by: R. J. DUFFIN, M. HILLERT, F. SEITZ, J. WEERTMAN, and C. A. WERT. C. ZENER will present a paper, and H. A. SI-MON will speak at the banquet.

DATE: SATURDAY, NOVEMBER 23, 1985

PLACE: CARNEGIE-MELLON UNIVERSITY
PITTSBURGH, PENNSYLVANIA

Registration fee of \$60 includes proceedings, lunch and banquet. Spouse tickets available. For tickets and information contact **W. W. MUL-LINS, 8309 WEAN HALL, CARNEGIE-MEL-LON U., PGH. PA. 15213.** Phone (412) 578-2541.

letters

school boards given preference in hiring to people with such concentrations? I do know that one suburban school board did hire a retired businessman, a graduate of the College of Agriculture at Cornell, to teach middle-school science and mathematics. Obviously, I cannot generalize from this.

I hope that some of the NSF money will be used to examine the pool of prospective elementary-school teachers and the hiring practices of administrators and boards. I believe the problem lies in the hiring of teachers.

Reference

 M. E. Westerback, J. Res. Sci. Teach. 21, 937 (1984).

Martin D. Stewart
Norwalk Community College
1/85 Norwalk, Connecticut

Fivefold symmetry

A recent story (PHYSICS TODAY, February, page 17) included an interesting discussion of fivefold crystal symmetries, in particular with regard to the recent experiments1 on Mn-Al alloys. I would like to point out that fivefold symmetry is also a characteristic feature of crystalline boron in its betarhombohedral modification, as well as some borides such as AlB₁₂. The lattice of natural β -boron is formed by the repetitive pattern of icosahedrons, with the unit cell having 105 nonequivalent atoms. This fact, which is rather peculiar for an elemental material, is surprisingly little known outside the boron specialists. Such structure leads to several specific consequences: One example is the possibility of hopping conductivity² in an intrinsic—not doped-semiconductor. (Hopping conductivity is generally understood as jumps of electrons over impurity sites; in β -boron it is most probably related to nonequivalent host atoms serving as trapping centers.) Therefore the naturally occurring fivefold symmetry has another area of manifestation, aside from the Mn-Al alloys mentioned in the story.

References

- D. Shechtman, I. Blech, D. Gratias, J. W. Cahn, Phys. Rev. Lett. 53, 1951 (1984).
- A. A. Berezin, J. Chem. Phys. 80, 1241 (1984).

ALEXANDER A. BEREZIN

McMaster University

2/85

Hamilton, Ontario, Canada

J. W. CAHN REPLIES: The note by Alexander Berezin seems to confuse the symmetry of isolated molecules with the symmetries of assemblies of molecules such as crystals. Cubic crystals don't require cube-shaped molecules.

ORDER BEFORE NOVEMBER 15, 1985 AND SAVE 15%!

QUANTUM MECHANICS

A Modern Introduction

by Ashok Das and Adrian C. Melissinos, University of Rochester, USA

By a careful selection of topics in particle and nuclear physics, as well as in atomic and molecular physics. [the authors] succeed in a natural and effortless way in making the excitement of these new developments an integral part of a rigorous training in quantum mechanics."—T.D. Lee, Enrico Fermi Professor of Physics, Columbia University, Nobel Laureate in Physics

January 1986, approx. 400 pp., hardcover 2-88124-053-4, \$65.00 A Gordon and Breach book limited-time price: \$55.25 softcover 2-88124-052-6, \$29.50

limited-time price: \$25.10

DEEP CENTERS IN SEMICONDUCTORS

A State-of-the-Art Approach edited by Sokrates T. Pantelides, IBM Thomas J. Watson Research Center.

Offering a comprehensive view of research in semiconductor physics and technology, this volume examines several key deep centers, each one carefully chosen to illustrate the many experimental and theoretical techniques used to achieve our current understanding of that center 1985, approx. 760 pp., hardcover 2-88124-109-3, \$95.00

A Gordon and Breach book limited-time price: \$80.75

ATOMIC EXCITATION AND RECOMBINATION IN EXTERNAL FIELDS edited by M. H. Nayfeh, University of Illinois at Urbana-Champaign and C.W. Clark, National Bureau of Standards, USA

How are properties of isolated atoms and molecules related to their behavior in alternative physical environments? Addressing this question, one central to the whole of atomic physics, this volume offers a timely look at Rydberg states of atoms in external fields and dielectronic recombination

1985, approx. 492 pp., hardcover 2-88124-043-7, \$104.00 limited-time price: \$88.40 A Gordon and Breach book

WAVE HEATING AND CURRENT DRIVE IN PLASMAS edited by Victor L. Granatstein, University of Maryland and Patrick L. Colestock, Princeton University, USA

Written by leading authorities in the field of plasma science, this is the only source available that provides a comprehensive treatment of the theory, practice and technology of wave heating and current drive in tokamaks, mirror machines and other magnetic fusion plasmas.

1985, 506 pp., hardcover 2-88124-057-7, \$94.00 limited-time price: \$79.90 A Gordon and Breach book

INSTRUMENTATION FOR HEAVY ION NUCLEAR RESEARCH

Proceedings of the International Conference on Instrumentation for Heavy Ion Nuclear Research held at Oak Ridge National Laboratory, October 22-25,

edited by Dan Shapira, Oak Ridge National Laboratory, USA Volume 7 in the Nuclear Science Research Conference series

Reflecting the recent innovations in heavy ion detection systems, this volume presents the state of the art in these systems and discusses plans and techniques for new instrumentation to explore the newest frontier of heavy ion science relativistic heavy ions

1985, approx. 407 pp., flexicover 3-7186-0240-7, \$49.00 A Harwood book limited-time price: \$41.65

PARTICLE ACCELERATORS AND THEIR USES

by Waldemar Scharf, Institute of Radioelectronics, Warsaw Technical University, Poland

English edition edited by Francis T. Cole, Fermi National Laboratory, USA Translated from the Polish by Eugene Lepa Volume 4 in the Accelerators and Storage Rings series

There is far more material on particle accelerators construction and application here than is available from any other single source. an outstanding contribution to the literature that will be used both by persons working in the field of particle accelerators and by persons in other disciplines who want to know more about this dynamic field. this dynamic field. -John P. Blewett and Francis T. Cole

1986, approx 1,000 pp., hardcover 3-7186-0034-X, \$195.00 **Special pre-pub price:** \$159.00 until January 31, 1986 (additional 15% discount not applicable) A Harwood book

PARTICLE PHYSICS

The Quest for the Substance of Substance

by L.B. Okun, Institute of Theoretical and Experimental Physics, Moscow, USSR

Translated from the Russian by V.I. Kisin A volume in the Concepts in Contemporary Physics series


Written by one of the world's leading theoretical physicists, this comprehensive volume offers a thorough overview of elementary particle physics and discusses progress in the field over the past two decades. **Particle Physics** forges links between new theoretical concepts and long-established facts in a style that is readable, informative and challenging

1985, 223 pp., hardcover 3-7186-0228-8, \$44.00

A Harwood book limited-time price: \$37.40 softcover 3-7186-0229-6, \$12.00

limited-time price: \$10.20





vailable only by mail — send coupon by November 15, 1985 to receive a Payment enclosed: (orders from individuals must 5% discount! — Check — Money order		
TBS Marketing Department, 50 West 23 Street, New York, NY 10010	☐ Visa ☐ Master Card	
tlease send me the books indicated below. I enclose payment and understand not if I am not fully satisfied I may return them for a full refund. Price Pri	Account No.	Expiration Date
	Affiliated bank	
	Signature	
	SHIP TO: Name	
	Affiliation	
	Address	

The New York
Academy of Sciences

Conference on

NEW IDEAS AND TECHNIQUES IN QUANTUM MEASUREMENT THEORY

Held in Honor of Professor Eugene Wigner

January 21-24, 1986 Barbizon-Plaza Hotel, New York City

CALL FOR POSTER ABSTRACTS

There will be a contributed poster session. The deadline for submission of abstracts is October 30, 1985. Abstracts should be sent to: Professor Daniel Greenberger, Department of Physics, City College of New York, New York, NY 10031. (Because of limited funding, it is anticipated that support for poster papers will not be provided).

Organizing Committee:
O. Costa de Beauregard,
Paris; D. Greenberger, New
York—Chairman; L. Motz,
New York; A. Shimony,
Boston; and A. Zeilinger,
Vienna.

Inquiries should be addressed to: Conference Department, The New York Academy of Sciences, 2 East 63rd Street, New York, NY 10021.

letters

Icosahedral boron molecules form rhombohedral crystals. The newly found quasicrystals don't seem to consist of packed icosahedra, but they do have icosahedral symmetry.

There is nothing surprising about isolated molecules having icosahedral symmetry. That occurs not only in boron compounds, but also in organic carbon chemistry. In fact, isolated molecules can belong to any one of the infinite number of three-dimensional point groups.

Periodic crystals, on the other hand, can belong only to one of the 32 point groups that are consistent with translational symmetry. The icosahedral and pentagonal point groups are not among these 32.

Sites within a crystal have a point-group symmetry that is a subgroup of that of the crystal. When a molecule is incorporated in a crystal structure, its symmetry is either reduced or remains the same. It becomes that of the site. The point-symmetry group of the crystal can be a higher symmetry than that of the molecules in the crystal, but it must be one of the 32.

All these points are easily visualized. Diatomic molecules have an infinite rotation axis, a very high symmetry. No crystalline packing of such molecules will place molecules in an environment with such a symmetry. Lowsymmetry units can be packed in symmetric arrays to give rise to higher-symmetry crystal rotation axes, but except for glide planes or screw axes, such axes do not go through the individual units, which retain their low symmetry.

Indeed there are boron crystals with periodically arranged molecules that are approximately icosahedral. But Berezin correctly calls these crystals rhombohedral. That crystallographic symmetry is definitely not icosahedral! The molecules are not in an icosahedral environment. Careful measurement reveals that they have been distorted by that environment and are no longer packing units with strict five-fold axes in their geometries. Having so many different nonequivalent atoms is the result of having lost symmetry, not the other way around.

It is not necessary that the recently discovered icosahedral metallic solids have icosahedral packing units. In one such alloy Mössbauer evidence indicates² the iron atoms are not at centers of icosahedra. In this regard these solids are like Penrose tiles, which individually have low symmetry but pack in an aperiodic pattern with a noncrystallographic ten-fold symmetry.

The observation that a solid has icosahedral symmetry implies that it can't be periodic. The observation of a crystal of periodically packed boron molecules definitely implies that no five-fold rotation axes have survived.

References

- R. J. Ternansky, D. W. Balogh, L. A. Paquette, J. Am. Chem. Soc. 104, 4503 (1982).
- L. J. Swartzendruber, D. Shechtman, L. Bendersky, J. W. Cahn, Phys. Rev. B 32, 1383 (1985).

J. W. CAHN
National Bureau of Standards

Warning to vacuum users

Recently we became aware of a phenomenon that is of danger to the users of vacuum systems. Any improperly grounded metal portion of the vacuum chamber, in the presence of millitorr local pressures (0.1 Pascal and higher). may expose personnel to lethal voltages during ionization-gauge operation-especially during degassing of the gauge. Sufficient plasma can be generated by the gauge at these pressures that the floating metal parts of the chamber can become electrically coupled to the gauge anode and can thus be lifted to within 20-40 volts of the anode potential. In the measurement mode, the chamber may be lifted to about 160 volts above ground. When the gauge is being degassed by electron bombardment, the chamber has been measured at as high as 900 V above ground, with some controllers, under these conditions.

All ionization-gauge tubes and controllers that I have tested to date have shown this effect. Please check the grounds on your vacuum chambers—they play an important role in your safety.

CHARLES F. MORRISON Granville-Phillips Company Boulder, Colorado

Apartheid

8/85

The racial laws of apartheid in South Africa deprive all nonwhites of the most elementary rights of a citizen. It is therefore with dismay that we see PHYSICS TODAY (March 1985, page 177), the official voice of the American Institute of Physics, accept advertisements from the University of Stellenbosch and the University of South Africa, Pretoria. The violations of fundamental human rights in South Africa are not on par with those of other African states or the Soviet Union. What we are talking about is the unambiguously codified legislation of repressive practices blatantly proclaimed and enforced by South African courts. It is totally irrelevant whether these uni-