

Wavelet theory is one of the few fields in mathematics that produces little tension between its theory and applications. Few sacrifices in rigor are needed in presenting a full theory of wavelets, and it is possible to present applied results using wavelets (on the processing of electroencephalogram data, for example) without any sacrifice of rigor. This has attracted many pure mathematicians to the field, including many talented harmonic analysts. France has traditionally been strong in harmonic analysis, and the fact that wavelets originated there has led to a large amount of high level work in that country. Books on the subject originating in France include Meyer's *Wavelets and Operators* (Cambridge U. P., 1992). Another, more standard, reference, originating in the US, is Daubechies's *Ten Lectures on Wavelets* (SIAM, 1992).

The author of *Wavelets: An Analysis Tool*, Matthias Holschneider, is a physicist at the Centre de Physique Théorique in Marseille, France, who has made a number of theoretical and applied contributions to wavelet theory; in the true spirit of wavelet theory, his book covers both applied and theoretical aspects. It is intended as a graduate text and serves this purpose very well, despite an absence of exercises (the inclusion of which would make the book much more marketable in American universities) and a somewhat terse exposition at some points.

The book starts by providing numerous examples (complete with spectral diagrams) of wavelets used in continuous wavelet transforms, together with the theory needed to understand them. Discrete wavelet expansions are then explained. Other related wavelet expansions are also considered, including nonorthogonal ones, and computational and reconstruction issues are considered, as is the occurrence of a Gibbs phenomenon in wavelet expansions.

The book includes statements of the fundamental theorems of analysis, with proofs, where needed, that a reader requires to handle the material. This should be a great help to the practicing physicist who wishes to obtain thumbnail sketches of the analysis theorems that underlie the results detailed in this book.

All in all, the book could serve well as a text, reference or tutorial on wavelets. It has a strong theoretical component and contains the foundations for most current applications of wavelet theory, and its novel approaches in some parts make it worthwhile for an expert.

MARK A. KON
Boston University
Boston, Massachusetts

Lectures on Quantum Theory: Mathematical and Structural Foundations

Chris J. Isham
Imperial College P. (World Scientific), River Edge, N.J., 1995. 220 pp. \$48.00 hc ISBN 1-86094-001-3; \$22.00 pb ISBN 1-86094-000-5

There has been a recent increase in interest in the conceptual and mathematical foundations of quantum theory. This has been stimulated by, among other things, recent developments in relativistic cosmology and attempts at understanding quantum gravity.

The author of *Lectures on Quantum Theory*, Chris Isham, is a professor of theoretical physics at Imperial College, London. He is one of the leaders in the field of "quantum gravity." (I use quotes, since we do not yet know what this term really means.) He has made numerous contributions to the understanding of the geometrical concepts underlying attempts to formulate quantum gravity and quantized gauge theories. Recently, with Abhay Ash- tekar, he has developed a line of research close to my heart: a "holonomy" approach to quantizing gauge theories and general relativity. (They are using parallel transport along loops to generate appropriate algebras of fields and observables.)

The book is based on lecture notes handed out to undergraduates at Imperial College. In the US it could serve as an excellent supplement for an introductory graduate course on quantum mechanics, one in which the students learn the "how-to's." The discursive style and clear exposition make for equally attractive reading by someone familiar with the subject or by a student who has only a rudimentary knowledge of atomic theory. The first 50 pages (after a brief review of Schrödinger wave mechanics) are devoted to a discussion of vector spaces and operators. There are no detailed proofs in the infinite-dimensional case; this is balanced by a nice supplement of solved problems at the end of the book.

As stated by the author, "One of the main goals of the book is to explore some of the deep conceptual issues that arise in quantum theory." Isham does this very skillfully in about 130 pages, without grinding any particular axe, by choosing to "focus on the notion of *physical property*, and the extent to which it is, or is not, meaningful to talk about a quantum system 'possessing' such properties."

After three review chapters, Isham begins his discussion (in chapter 4) with the ideology of classical physics, emphasizing the seamless meshing of the "realist" and "instrumentalist" views of science. The next two chapters discuss in detail the rules of quantum theory, both for pure (vector) states and mixed (density matrix) states, with a good description of the relation between the mathematics and the physical concepts. At this stage the author adopts the pragmatic approach, leaving open questions of interpretation.

The last chapter (chapter 8) is a very clear and succinct exposition of the conceptual problems of quantum theory. The chapter is organized around four main topics: the meaning of probability, the role of measurement, the reduction of the state vector and something called quantum entanglement. These four problems are dealt with in a lively and interesting way, and although some of the author's philosophical sympathies can be guessed, the exposition is as objective as one can be on the subject, emphasizing the open questions and the fact that one can be a quite successful practitioner of quantum theory even if one does not worry about the problems raised.

I would strongly recommend that anyone teaching the subject use this little book as supplementary reading. Although it is less detailed than other recent books, it gives the reader a good bird's-eye view of the problems that bother many newcomers to the field—even some experienced users of quantum theory. Getting a feel for these questions is critical if one is ever to understand the quantum theory of closed systems such as our universe.

The main text is supplemented by a substantial number of problems with solutions, which should help the beginner master the mathematics. The book is carefully typeset and, unlike other books published by major publishing houses I've reviewed recently, the number of typos I found is very small (3 or 4). An amusing one is that Karl Popper's knighthood "Sir" has become his initial in the bibliography.

MEINHARD MAYER
University of California, Irvine

Relativistic Atomic Collisions

Jörg Eichler and Walter Meyerhof
Academic P., San Diego, Calif., 1995. 413 pp. \$74.95 hc ISBN 0-12-233-675-5

As a boy, I never really understood the difficulty my high school physics teacher had with the way water gets

to the top of a tree. Anyone who has watched an English oak segue in the wind can only wonder why all the sap is not pumped right to the top anyway. Vines on the other hand, are different; their weight is supported laterally. I decided that high-growing vines must suck their nutrients directly, horizontally, from the host.

I revisited these incorrect notions recently in reading the lively book by Jörg Eichler and Walter Meyerhof, *Relativistic Atomic Collisions*. A theorist and an experimentalist respectively, they have cooperated in describing the upper canopy of a particularly beautiful vine, ion-atom collisions, which has been quietly growing up the stalwart tree of nuclear heavy-ion physics for three decades. In my more mature wisdom, I would describe the relationship as one of dependence; as Eichler and Meyerhof demonstrate, it is certainly not parasitic.

In the early 1960s, inspired by T. D. Lee and, if my memory serves me correctly, accompanied by Allan Bromley's justified skepticism, the task of producing beams of highly stripped ions was undertaken. The aim was to bring two nuclei together at the Coulomb barrier and create a few drops of elemental quark-gluon nuclear fluid.

Atomic physicists saw a completely different opportunity: a collision between electrons and ions in which the coupling constant (the ionic charge) was an adjustable parameter. And, by using the beam at CERN's Low Energy Antiproton Ring, experimenters could even make the coupling constant change sign.


Werner Brandt, Lew Cocke, Sheldon Datz, Helge Knudsen, Horsdal Pedersen, Pat Richard, Ivan Sellin, Horst Schmidt-Bocking, Nico Stoltterfoht and others added a considerable amount of new data to the fields of stopping powers, charge transfer, electron correlation, high-coupling-constant quantum electrodynamics and so on. And theorists with very diverse backgrounds, such as Walter Greiner, Ron Olson and Rufus Ritchie, were drawn in to try to explain it all.

Eichler and Meyerhof take us rapidly through these developments. Their aim is not so much to help us to understand old problems as to get an advanced researcher into the atomic physicists' own elemental fluid, the Dirac sea. They have largely succeeded.

Relativistic collisions allow the excitation of the vacuum; a host of wonderful new physical processes emerge. A fully stripped relativistic ion impinging on an atom delivers an electromagnetic pulse dwarfing that produced by the most powerful laser. Recently Datz performed a breakthrough experiment

HERMETICALLY SEALED CONNECTORS

Pressure and Vacuum Types



Glass Sealed

You say what type, we deliver!

- ☐ CARBON, STAINLESS STEELS, SPECIAL ALLOYS
- ☐ SOLDER, PANEL OR WELD MOUNT
- ☐ STANDARD CONTACTS, THERMOCOUPLE, P.C., EYELET OR YOUR DESIGN
- ☐ FOR MILITARY, COMMERCIAL, INDUSTRIAL

Call us to discuss your standard or custom requirements for Connectors and Headers to operate over a wide temperature range, even in severe environments.

SINCE 1959 - Standard and Modified

Designs of Connectors, as well as Headers and Terminals.

DETORONICS

10660 E. RUSH ST. • SO. EL MONTE, CA 91733 • PHONE (818) 579-7130 • FAX (818) 579-1936

Circle number 33 on Reader Service Card

Is your organization planning a technical meeting or exhibit?

Comprehensive and professional **exhibit management services** are available through the American Institute of Physics. With more than 30 years of experience, our staff can customize these services to meet your needs.

Services include:

- ◆ Site evaluations
- ◆ Hotel and contractor negotiations
- ◆ Marketing and promotion
- ◆ Booth sales
- ◆ Customer service
- ◆ Comprehensive on-site services
- ◆ Complete accountability

For additional information, contact:

Bob Finnegan, Exhibits Manager
American Institute of Physics
500 Sunnyside Blvd.
Woodbury, N.Y. 11797

Tel: 1-800-247-2242 • 516-576-2433
Fax: 516-576-2481 • email: rgg@aip.org

AMERICAN
INSTITUTE
OF PHYSICS

Circle number 34 on Reader Service Card

in which fully stripped lead ions with an energy of 160 MeV/nucleon were observed to change their charge after collision with a gold target. I asked Datz, "Where do the electrons come from?" He replied, "The nuclei make their own."

Yes, this field has developed because of the existence of the experimental equipment provided by the need to understand nuclear heavy-ion and high-energy physics, but ion-atom col-

lisions has now entered into a decade where its physics is truly its own. If you want to learn about this, or better yet, join in, *Relativistic Atomic Collisions* is a very good place to start. But don't leave it too long. LEAR is already dead, if not yet chopped down. When the trees go, so will the vines.

JOHN F. READING
Texas A&M University
College Station, Texas

Excitations in Liquid and Solid Helium

Henry R. Glyde
Oxford U. P., New York, 1995.
437 pp. \$95.00 hc
ISBN 0-19-851009-8


Henry Glyde's *Excitations in Liquid and Solid Helium*, number 9 in the Oxford Series on Neutron Scattering in Condensed Matter, is a fine addition to the literature. It belongs on the bookshelf of anyone seriously interested in understanding the theory of excitations in quantum fluids and solids. The book emphasizes theory relevant to an interpretation of scattering experiments. The text is presented in four sections: solid helium, liquid helium-4, liquid helium-3 and high-momentum transfer. It makes reference to some 400 original publications. The book is timely, given the recent debate and advances in measurements of the condensate fraction in ^4He and the recent high-precision measurements, including those for ^3He . In some sense, the book can be considered to be a companion volume to *Excitations in a Bose-Condensed Liquid*, by Allan Griffin (Cambridge U. P., 1993). Taken together, the two books cover excitations in quantum fluids and solids in a comprehensive manner.

In the section on solid helium, Glyde discusses single-phonon, multiphonon and interference contributions to the dynamic structure factor, and he presents a thorough description of the self-consistent phonon theory, including short-range correlations. In the section on liquid ^4He , the emphasis is on phonons, rotons and single-particle excitations, all of which can be observed through neutron scattering experiments. The treatment includes a nice discussion of the microscopic theory of the liquid and also covers the early seminal ideas of Lev Landau, Richard Feynman and the Feenberg school, including the dielectric formulation and the correlated basis function approach. In the section on liquid ^3He , Glyde develops Landau Fermi-liquid theory, reviews the microscopic basis for Landau theory provided by many-body theory and discusses various models and approximations. The final section, high-momentum transfer, includes a development of the impulse approximation and final state contributions, and a discussion of the condensate.

Although the book is in the Oxford Series on Neutron Scattering, Glyde also reviews the relevant literature in x-ray scattering. A strength of the book is that Glyde makes heavy and repeated use of experimental results from both neutron and x-ray scattering

ULETM ZERO EXPANSION GLASS



Corning ULE is being used for applications ranging from 8 meter mirror blanks for new telescopes...to ultra-lightweight mirror



blanks for space imaging...to substrates for gratings, bars for measurement scales, structural components, and reference flats. The zero expansion characteristics of Corning ULE make it the choice for any application requiring

superior, proven dimensional stability and also offers the chemical resistance and optical clarity you can only expect from glass. For information, call or write for our new brochure. Corning Incorporated, Advanced Materials Business, HP-CB-08-6, Corning, New York 14831. Tel. 607-974-7440. Fax 607-974-7210.

CORNING



Copyright 1996, Corning Incorporated

Circle number 35 on Reader Service Card