

entirely reasonable to imagine that innovative ways of treating, more securely storing, or productively utilizing nuclear waste will be developed on much shorter time scales. America needs to address energy policy, and greater use of fission will have to be an important component of that policy over at least the short and medium terms. Our elected leaders could more productively spend their time and our money on developing sensible policies toward greater national energy independence.

Cameron Reed
(reed@alma.edu)
Alma College
Alma, Michigan

Probing Pyramids to Identify Internal Structure

The news that Mexican physicist Arturo Menchaca and archaeologist Linda Manzanilla have launched a cosmic muon search for hidden chambers in the Pyramid of the Sun in Mexico (PHYSICS TODAY, February 2004, page 31) opens a new and exciting chapter in cross-disciplinary research. The two researchers have chosen the technique of pyramid probing with vertical muons—that is, those making an angle less than 45° to zenith. Vertical muons were first used in 1955 in Australia (ref. 5 of ref. 1). Luis Alvarez and coworkers used the method in their 1967–68 probing of Chephren's pyramid, the second of the great pyramids of Egypt. The Alvarez team searched for equivalents of the king's and queen's chambers that had been found in the first pyramid, that of Chephren's father, Cheops.

The vertical muon probing method consists of measuring, from beneath the pyramid, the absorption pattern of the muons as a function of their angle to zenith after they pass through the pyramid. The detector was placed in the only known chamber beneath Chephren's pyramid. As a result of the probing, Alvarez concluded that no other chamber existed.¹ "It's not that we did not find the chamber," said Alvarez. "We found that there wasn't any chamber."²

Menchaca and Manzanilla appear to be unaware of an article by two French architects³ that was published two decades after Alvarez's investigation. In describing their

search for cavities in the Cheops pyramid, the architects pointed out an important construction feature, unknown to Alvarez at the time of his search, that brings into question the feasibility of observing hidden chambers from beneath the pyramids.

Alvarez assumed that the pyramids were filled with only one kind of stone—limestone—so that their interior density is uniform. The architects reported that the Cheops pyramid was built of two kinds of stone with different densities: limestone, at 1.8 g/cm^3 , and granite, at 2.7 g/cm^3 . While most of the first pyramid's interior consists of limestone, the roofs and walls of all chambers and galleries are made of granite. The mass of the granite roof above the king's chamber is equal, within 5%, to the sum of the missing mass of the chamber plus the mass of the roof if it were made of limestone;⁴ the apparent area density of the king's chamber, as detected by the vertical muons, approximately equals that of limestone. By accident or by design, the excess density of granite over that of the limestone nearly exactly masks the void. Had Alvarez first tested his system in the Cheops pyramid, from beneath, he could not have detected the king's chamber with vertical muons.

Are these considerations, based solely on our knowledge of the Cheops pyramid, valid for Chephren's as well? They would be invalid if Chephren's pyramid was built without granite. However, the lower chamber's granite roof suggests that no such radical departure in architecture took place between the father's pyramid and the son's.

I first saw the French architects' article³ in January 1987 while in Cairo filming a documentary about the pyramids.² I immediately informed Alvarez of the French group's findings. He confirmed that he was unaware of the use of granite in the pyramids.

I suggested to Alvarez that to unambiguously state that there are no other chambers in Chephren's pyramid, one would have to repeat the measurement using horizontal muons—those that make an angle greater than 45° to zenith—and that the detector should be on the ground outside the pyramid.⁵ The intensity of the horizontal muons is much lower than that of the vertical ones, but the horizontal muons have the advantage of being "hardened" by

their longer passage through the atmosphere. In fact, Alvarez's experiment¹ had confirmed the feasibility of using horizontal muons: The muon absorption pattern had clearly shown the ridges of the peak of the Cheops pyramid viewed from the Chephren pyramid's lower chamber.

In a letter written to me less than a year before his death, Alvarez stood by his conclusion that no king's or queen's chambers exist in Chephren's pyramid. He argued that if a hypothetical king's chamber had included a granite roof, his detector would have observed it as a density bump. Because no such bump was observed, Chephren's pyramid must have been constructed differently from Cheops's. Alvarez did tacitly imply, however, that the issue was not closed; he said another measurement, using horizontal muons, would confirm his conclusion.

Actually, the issue is wide open, because the only chamber found in the Chephren pyramid was built like all chambers in the Cheops pyramid—with a granite roof. To exclude the existence of chambers in the Chephren pyramid, an experiment with horizontal muons is called for.

How is this story relevant to the Pyramid of the Sun? If the Mexican pyramid's interior density is homogeneous, it will be irrelevant. If the density is not homogeneous, the story may be quite relevant. According to the PHYSICS TODAY story, Menchaca says the Pyramid of the Sun has a more irregular shape, is less dense, and is also less homogeneous.

References

1. L. W. Alvarez et al., *Science* **167**, 832 (1970); see also L. Alvarez, *Adventures in Exp. Phys.* **1**, 157 (1972).
2. Tesla Foundation, *Unfolding Pyramids' Secrets Using Modern Physics*, film, narrated by L. W. Alvarez and B. C. Maglich, directed by Victoria Vesna (1988).
3. J. Lakshmanan, J. Montlucon, *Geophys.: The Leading Edge* **6**, 10 (1987).
4. Joint ARE–USA Research Team, *Electromagnetic Sounder Experiments at the Pyramids of Giza*, NSF doc. no. GF-38767, Ain Shams U., Cairo, Egypt, and SRI, Menlo Park, CA (May 1975). See also I. E. S. Edwards, *The Pyramids of Egypt*, Penguin Books, New York (1985).
5. B. C. Maglich, *Bull. APS* **32**, 1067 (1987).

Bogdan C. Maglich
(maglich@hienergyinc.com)
HiEnergy Technologies Inc
Irvine, California