



SPEAR3 can accommodate more users than its predecessor. More important "is what the increased brightness buys you—improved spatial resolution," Hodgson says. "You can focus the x-ray beam down to micron dimensions and have enough photons to do chemical speciation, surface scattering, protein crystallography."

"This new facility exemplifies the collaborative nature of science and the productive cross-fertilization between biological and physical disciplines," Elias Zerhouni, chief of the National Institutes of Health, said in a statement he prepared for the dedication of SPEAR3. NIH and the US Department of Energy jointly footed the \$58 million upgrade tab. "For a relatively modest investment, we have gained a formidable light source," says Hodgson. The upgrade was completed in less than a year.

Also in January, the San Francisco-based Gordon and Betty Moore Foundation announced a \$14.2 million gift to Caltech, most of which will be used to build a beam line at SPEAR3 for

remote-controlled studies in structural molecular biology. **TF**

Realistic hydrogen. The American Physical Society's Panel on Public Affairs (POPA) is urging policymakers in Washington, DC, to focus more on basic scientific research and less on demonstration projects when deciding how to proceed with the Bush administration's \$1.2 billion hydrogen initiative. The administration's 2003 initiative envisions "the commercial use of fuel cells in transportation . . . by 2012." Congress has set a goal for the auto industry of "safe, affordable, and technically viable hydrogen fuel cell vehicles" by 2015. In a policy paper that echoes a US Department of Energy report published in May 2003, POPA says the fundamental problem with the hydrogen initiative is that a large performance gap exists between the current state of the technology and the final goals.

According to the APS paper, "The most promising hydrogen-engine technologies require factors of 10 to 100 improvement in cost and performance in order to be competitive [with fossil fuels]." The policy paper, developed by POPA's energy subcommittee, also notes that, given the enormous hurdles involved in creating a hydrogen-based transportation system, it would be "prudent to maintain strong research programs into technologies that serve as bridges between the current fossil-fuel economy and any future hydrogen economy." The APS policy papers are intended to inform congressional debate "with the perspectives of physicists working in the relevant issue areas." **JLD ■**

WEB WATCH

<http://alsos.wlu.edu>

The **Alsos Digital Library for Nuclear Issues** aims to provide a broad and balanced range of resources about nuclear weapons. Washington and Lee University in Lexington, Virginia, hosts the project, which is curated by Frank Settle and forms part of NSF's National Science Digital Library.



<http://www.slac.stanford.edu/library/topcites>



SPIRES, the Stanford Public Information Retrieval System, has been at the forefront of digital document distribution for decades. Among the offerings on the SPIRES Web site are year-by-year lists of the **most-cited articles in high-energy physics**.

<http://radinfo.musc.edu/~eugenem/blog>


Eugene Mah, a medical physicist at the Medical University of South Carolina, keeps a daily weblog called **IMABLOG**. With a soupçon of physics, Mah logs the minutiae of his daily life and reflects on the world in general.

To suggest topics or sites for Web Watch, please visit <http://www.physicstoday.org/suggestwebwatch.html>.

Compiled and edited by Charles Day

Hey!

Don't judge our greatness by this small ad – go to www.femto.de and find handy high performance signal recovery tools, like ...




... Fast Optical Power Meter (Photoreceiver, O/E-Converter)

- Fiber Optic Input FC, SMA, ST
- Measuring femtoWatts to milliWatts
- Wavelengths 190 nm to 1800 nm



... Lock-In Amplifier Module

- Single- and Dual-Phase
- Frequency 5 Hz to 120 kHz
- For Spectroscopy, Photonics



... GHz Photodetector Amplifier

- Bandwidth up to 2 GHz
- Gain up to 60 dB (50,000 V/A)
- Noise 6.6 pA/√Hz

FEMTO
SOPHISTICATED TOOLS FOR SIGNAL RECOVERY

FEMTO® Messtechnik GmbH
Paul-Linke-Ufer 34
D-10999 Berlin / Germany
Tel.: +49 (0)30/4 46 93 86
Fax.: +49 (0)30/4 46 93 88
e-mail: info@femto.de
<http://www.femto.de>