cal sense—for purposes of illustration rather than with realistic intent; that he proceeded in the early 1860s to develop a substantial commitment to the realistic status of a particular mechanical model of the electromagnetic field, based on the idea of "molecular vortices" in the medium pervading space; and that subsequently, in the mid-1860s, he began a measured retreat from his realistic commitment to the molecular-vortex model, without ever completely giving it up.

The extant record of this intellectual journey provides material that can be used to support a wide variety of historical conclusions through selective quotation. Good practice in historical writing, however, demands, above all, balance, and it is this that is lacking in Tolstoy's presentation. His reporting that Maxwell viewed one part of the molecular-vortex model as "awkward" and "provisional," while neglecting to tell the reader that Maxwell viewed another part of the model as a "probable" hypothesis, is just one example of this lack of balance. The quotation with which Tolstov closes his letter provides another example. For balance, it should be accompanied by the preceding paragraph in Maxwell's A Treatise on Electricity and Magnetism (3rd edition, 1891, reprinted by Dover, New York, 1954):

I think we have good evidence for the opinion that some phenomenon of rotation is going on in the magnetic field, that this rotation is performed by a great number of very small portions of matter, each rotating on its own axis, this axis being parallel to the direction of the magnetic force, and that the rotations of these different vortices are made to depend on one another by means of some kind of mechanism connecting them.

To quote Maxwell's reservations concerning the possibility of specifying the mechanism connecting the ether rotations, while entirely neglecting the neighboring passage expressing his continuing commitment to the basic hypothesis of rotating parcels of ether, does not make for good history. It is only when the two passages are put together that one gets a balanced picture of Maxwell's final stance with respect to the molecular-vortex model, and the general conclusion toward which the combined passages point is that Maxwell remained basically within the mechanistic camp, although with significant reservations.

Daniel M. Siegel University of Wisconsin Madison, Wisconsin

Physics-information group?

In November 1984 the council of The American Physical Society approved the formation and operation of topical groups with the purpose of supplementing areas of physics not encompassed by one of the society's divisions. A topical group may be established by the council upon petition by 20 members of the society.

I would like to hear from APS members who might be interested in forming a physics-information and documentation topical group whose purpose would be to further the generation, organization and dissemination of physics information. Meetings and programs of the topical group would be held at least annually, possibly in conjunction with the regular APS meetings.

Those physics-information specialists, physics librarians and other APS members interested in forming a topical group should contact me at the address given below.

ALFRED J. HODINA Sciences-Engineering Library University of California Santa Barbara, CA 93106

Aharanov-Bohm effect

2/86

I enjoyed very much the commendable story by Bertram Schwarzschild on the Aharanov-Bohm effect (January, page 17). Just a month earlier, in the same column, he treated us to a magnificent description of Klaus von Klitzing's discovery of the quantized Hall effect. Although the results sought after are quite different, I could not help speculating on the similarities between these two experiments:

▶ Both theories are built on the fundamental "flux quantum" h/e, where h is Planck's constant and e is the charge of the electron.

▶ Both theories predict magnetoresistance oscillations with increasing magnetic field occurring with a flux periodicity of *h/e*.

▶ The two experiments were carried out in crossed magnetic and electric fields similar in magnitude and geometry.

▶ Both devices may be considered "mesoscopic": One has a diameter of 1 micron while the other has an effective width of 50 microns.

▶ The two experiments were performed at low temperatures of the same order of magnitude.

The most remarkable comparison is that the materials and the shapes of the devices are quite dissimilar: One is a continued on page 148



Your CRYOGENIC CONNECTION

announces

AT LAST

A 4.5 K Closed Cycle Refrigerator System Under \$25,000.00

- Laboratory Size and Industrial Quality
- 1/4 Watt at 4.5 K



Model LTS-21-H, Temp

For:

- · Helium Reliquefiers
- Detector Cooler
- · Low (or no) Boiloff Dewars


OPTIONAL FEATURES:

- Variable Temperature Control
- Optical Access
- Vibration Free Mounting

Cryosystems offers a full line of 4.5 K Closed Cycle Refrigerator Systems from 1/4 to 4 Watts with variable temperatures from 2.5 K to 300 K.

Also Available—FTIR, VSM, Mossbauer and Special IR Systems. We Custom Engineer to Your Needs.

> To learn more about your CRYOGENIC CONNECTION write or call:



1802 West Grand Rd., Suite 122, Tucson, AZ 85749 800-882-2796 TELEX: 24-1334

Circle number 15 on Reader Service Card